



# Southeastern Aluminum Products

904-781-8200 • P.O. Box 6427, Jacksonville, FL 32236 • [www.SoutheasternAluminum.com](http://www.SoutheasternAluminum.com)

## **Standard Specifications for CrystalLine Frameless By-Pass**

Units shall be CrystalLine By-Pass tub or shower enclosures, as manufactured by Southeastern Aluminum Products, Inc., Jacksonville, FL.

### **MATERIALS:**

Structural metal and pulls shall be extruded aluminum-6463 alloy, T-6 temper-bright dip anodized with polished finish or powder coated. Glass shall be 3/16" or 1/4" Safety Tempered Glass with no-shiner edgework to meet or exceed ANSI 97.1-2004-UA and/or CPSC 16CFR-1201-III requirements. Towel bars shall be plated brass or stainless steel or powder-coated brass or stainless steel. All fasteners shall be stainless steel; different grades are permissible.

### **CONSTRUCTION:**

Each enclosure panel shall have two extruded aluminum hangers – 6463 alloy, T-6 temper-bright dip anodized finish. Hangers are customer installed per specifications outlined in installation instructions, each to the glass. An allen wrench is provided. Each hanger also has a suspension roller with encased ball bearings and five individual adjustment settings. Sill track shall have a strip of extruded vinyl for proper glass position and smooth operation. Through-glass towel bars shall include one or two towel bars with plastic inserts. Pull assembly shall include one pull and one rubber bracket pull/pad.

### **INSTALLATION:**

Installation shall be made according to Manufacturer's instructions and drawings included with each unit. Headers and sill tracks shall be shipped extra length to allow exact cutting at time of installation.

### **LIMITED WARRANTY:**

Southeastern Aluminum's products are guaranteed for a period of one year from date of purchase against defects in material or workmanship. This warranty is limited to repair or replacement of defective units at the option of Southeastern Aluminum Products, Inc. This warranty is void if the unit shows any signs of physical abuse or neglect or there is evidence of improper installation. Southeastern Aluminum Products, Inc. is not responsible for any damages or injury to persons or property except for replacement or repair of defective units.